

2007 Mitsubishi Adventure GLX Specifications

GENERAL SPECIFICATIONS		ADVENTURE GLX SPECIFICATION	
Overall Length	(mm)	4345	
Overall Width	(mm)	1650	
Overall Height	(mm)	1800	
Wheelbase	(mm)	2620	
Minimum Turning Radius	(mm)	5.2	
Ground Clearance	(mm)	180	
Curb Weight	(kg)	1505	
Fuel Tank Capacity (Liters)		55	
ENGINE		GAS	DIESEL
Model		4G53	4D56
Type		4 In-Line Gasoline, SOHC, 16-Valve	4 In-Line Diesel
Fuel System		Programmed MPI	Distributor Type Fuel Injection
Displacement	(cc)	1997	2477
Bore x Stroke	(mm)	85.0 x 88.0	91.1 x 95.0
Compression Ratio		9.5:1	21:1
Catalytic Converter		Equipped	N/A
Maximum Power	(Ps / rpm)	114 / 5500	73 / 4200
Maximum Torque	(Kg-m) / rpm)	16.8 / 3000	14.6 / 2500
TRANSMISSION		GAS	DIESEL
Model		5 Speed M/T	5 Speed M/T
Gear Ratio	1st	4.330	4.330
	2nd	2.355	2.355
	3rd	1.509	1.509
	4th	1.000	1.000
	5th	0.833	0.833
	Reverse	4.142	4.142

Final Gear Ratio	4.875	4.222
WHEELS & TIRES		
New 14" x 5.0' JJ Aluminum Wheels with 185 / 80 R14 Tires		
INTERIOR		
Power Windows Fabric Vinyl Seats		
Molded Door Trim with Cloth Inserts 2 Separate Sliding & Reclining Front Seats		
Center Console with Cupholders 2+1 Split Folding 2nd Row Seats		
Front and Rear Door Pockets Vanity Mirror and Grab Handle		
EXTERIOR		
New Smoked-Typed Multi-Reflector Halogen Headlamps - Foglamps Color-keyed Grille with Chrome Fins		
White Side Marker Lamps Pillar-Mounted Antenna		
Chrome Power Door Mirrors Black Outside Door Handles		
Black Windshield Moldings Molded Type Mudguards		
DEALER OPTIONS		
New 3D Body Side Graphics Mit-Air CFC Free Dual Air-conditioning System		
MMAS Security System MMAD 2 Din Single In-Dash CD/MP3/Tuner/iPod-USB Ready Player with 4 Speakers		
Front Facing 50:50 Split and Fold Side Tumble 3rd Row Seats Side Facing Fold and Tumble Bench-Type 3rd Row Seats		
SUSPENSION		
Front	Independent Double Wishbone with Coil Springs	
Rear	Semi-Elliptic Leaf Spring	
BRAKES		
Front	13" Ventilated Discs	
Rear	10" Leading and Trailing Drum	
Brake Booster	9" Master Vacuum	

STEERING

Steering Wheel

4-Spoke Polypropylene

Gear Type

Rack and Pinion with Power Steering

STANDARD SAFETY EQUIPMENT

2 x 3pt ELR Seatbelt (front), 3 x 2pt Lapbelts (2nd Row Seat)

Side Impact Beams

Childproof Lock (except Tailgate)

Laminated Green Windshield

Available Colors - Aspen White, Monza Silver, Icy Green, Palermo Red